

PROTEC GREEN C3

PRODUCT DESCRIPTION

ENOC PROTEC GREEN C3 is a fully synthetic multigrade lubricant formulated for use in modern turbocharged, supercharged, direct injection gasoline and diesel passenger cars and light diesel trucks. **PROTEC GREEN C3** is formulated with fully synthetic base stock with a combination of high-performance additive components. that protects from Low Speed Pre-Ignition (LSPI) phenomena in GDI turbocharged engines, Turbocharger deposit protection & Engine oil aeration protection. Meets the requirements of ACEA European sequence C3 requirements for low emission device protection for gasoline and light diesel passengers' engines.

APPLICATIONS

- ◆ All makes of passenger cars (older than model year 2016)
- ◆ High performance normally aspirated and turbocharged engines
- ◆ Intended for use over extended drain intervals in high performance gasoline and light duty diesel engines.
- ◆ Hybrid vehicles
- ◆ Light commercial vehicles

PERFORMANCE STANDARDS

PROTEC GREEN C3 meets and exceeds the following International specifications:

API	SP	ACEA	C3
MB-Approval	229.52(SAE 5W-30)	Opel	OV 0401547 (SAE 5W-30)
MB-Approval	229.31(SAE5W-40)	BMW	LL-04 (SAE 5W-30)

Always follow equipment manufacturer's recommendations for required lubricant performance level and oil drain intervals.

BENEFITS

PROTEC GREEN C3 provides:

- ◆ Fully Synthetic formula for extended drain intervals.
- ◆ The highest level of engine protection for various engine manufacturers.
- ◆ Prevent engine damage by providing outstanding LSPI protection
- ◆ Excellent Piston / Rings cleanliness which increase engine and oil life
- ◆ Offers high speed, high temperature city stop/ start engine wear and corrosion protection.
- ◆ Low oil consumption and engine deposits
- ◆ Proven technology in Hybrid vehicles

Technical Data*		
SAE Grade	5W-30	5W-40
Density	0.8511	0.8502
Kinematic Viscosity mm ² /s @ 40°C	69.1	88.4
Kinematic Viscosity mm ² /s @100°C	11.5	14.51
Viscosity Index	161	171
TBN	7.5	7.5
Flash Point, COC, °C	228	232
Pour Point, °C	-39	-39
Product Code	210092	210093

The information prepared provides the typical properties that are considered as representative. Some variation which will not affect performance is possible

HEALTH AND SAFETY, ENVIRONMENT

The information on this product is available in the ENOC Material Safety Data Sheet (MSDS) as a guide to the precautions and safe handling of this product and its disposal. For further information we recommend you review the MSDS. Handled correctly there are no special precautions suggested.

Issued by ENOC Marketing LLC, Dubai, U.A.E.
Last Updated on: March 2021- MS
PDS V1090321