



ENOC PROTEC X-TREME

PRODUCT DESCRIPTION

ENOC PROTEC X-TREME is a high technology **fully synthetic lubricant** for the latest model passenger cars requiring performance specification API SN developed to provide maximum protection for all passenger cars, including high performance cars and cars with low emission engines with catalytic converts fitted to the vehicles. It is available in several viscosity grades to provide maximum fuel saving and to meet long drain requirements. Compatible for all cars running on lead free gasoline.

APPLICATIONS

- ◆ All new makes of passenger cars
- ◆ High performance cars normally aspirated and turbocharged gasoline engines
- ◆ Cars fitted with exhaust catalytic converts to meet low emission requirements
- ◆ For New and Modern Engines
- ◆ Latest model Japanese, American and European cars.

PERFORMANCE STANDARDS

PROTEC X-TREME meets and exceeds the following International specifications:

API	SN	MB Approval	229.5
ACEA	A3/B4	BMW	Longlife Oil-01
VW	502.00/505.00	Porsche Cars	A40
PSA	B71 2296	Renault	RN700/710
OPEL	GM-LL-B-025		

Always follow equipment manufacturer's recommendations for required lubricant performance level and oil drain intervals.

BENEFITS

PROTEC X-TREME provides:

- ◆ Meets or exceeds the latest OEM and Industry approvals.
- ◆ Ultimate engine protection.
- ◆ Excellent low temperature capabilities for rapid engine protection at start-up
- ◆ Suitable for latest engine technologies including Turbochargers, Direct Injection, Light Duty Diesels (without DPF) and Hybrids.
- ◆ Excellent protection against wear

Technical Data*		
SAE Grade	5W- 40	5W-50**
Density at 15°C, kg/L, ASTM D4052	0.8708	0.8533
Viscosity, Kinematic, ASTM D 445		
mm ² /s at 40°C	88.79	113.2
mm ² /s at 100°C	14.51	18.37
Pour Point, °C, ASTM D97	-39	-39
Flash Point, °C, ASTM D92	230	230
Product code	210018	210035

*The information prepared provides the typical properties that are considered as representative. Some variation which will not affect performance is possible
** Meets API SN & ACEA A3/B4 only

HEALTH AND SAFETY, ENVIRONMENT

The information on this product is available in the ENOC Material Safety Data Sheet (MSDS) as a guide to the precautions and safe handling of this product and its disposal. For further information we recommend you review the MSDS. Handled correctly there are no special precautions suggested.