

# ENOC VERRON EP GREASE

## PRODUCT DESCRIPTION

**ENOC VERRON EP** greases have been developed for automotive applications where the benefits of lithium base thickened greases have excellent load carrying capacity and forfeited with extreme pressure additives to protect both plain and anti-friction bearings applications. It contains an effective oxidation and rust inhibitor and is an ideal multipurpose grease suitable for use in a wide range of applications.

## APPLICATIONS

- ◆ Automotive vehicles
- ◆ General construction equipment
- ◆ Heavy earthmoving vehicles, mobile quarry equipment and mining
- ◆ Agriculture equipment
- ◆ Chassis grease lubrication points
- ◆ Wheel Bearings

## RECOMMENDATIONS

Many plain and rolling bearings are subjected to heavy shock loading conditions where conventional greases may not give adequate protection. **VERRON EP** minimises wear under these loading conditions and resists water wash-out, especially where equipment is constantly working under damp or very wet conditions. It is also effective over a wide temperature range and protects against rust and corrosion. Where equipment is lubricated by centralised grease systems, **VERRON EP** offers excellent pumpability characteristics and does not cause blockages in the distribution system.

Always follow equipment **manufacturer's recommendation for required grease performance and** re-lubrication periods.

## BENEFITS

### VERRON EP provides:

- ◆ Excellent extreme pressure properties
- ◆ Resistance to water wash-out
- ◆ Suitability in wide temperature range
- ◆ Good pumpability
- ◆ Good mechanical stability
- ◆ Multifunctional use

Technical Data*					
NLGI Grade	00	0	1	2	3
Dropping point, °C	-	186	196	204	204
Penetration, Worked @ 25°C	415	370	326	280	236
<b>Oil Viscosity:</b>					
mm <sup>2</sup> /s @ 40°C	200	200	200	200	200
mm <sup>2</sup> /s @ 100°C	17.50	17.50	17.50	17.50	17.5
Timken OK load, Kg	20	20	20	22	25
Operating temperature range °C	-30 to 77	-30 to 120	-25 to 120	-25 to 120	-20 to 120
Product Code	224030	224007	224010	224002	224003

\*The information prepared provides the typical properties that are considered as representative. Some variation which will not affect performance is possible

### HEALTH AND SAFETY, ENVIRONMENT

The information on this product is available in the ENOC Material Safety Data Sheet (MSDS) as a guide to the precautions and safe handling of this product and its disposal. For further information, we recommend you review the MSDS. Handled correctly there are no special precautions suggested.