

# ENOC VULCAN 800X SAE 20W-50

## PRODUCT DESCRIPTION

**ENOC VULCAN 800X SAE 20W-50** is a High Performance diesel engine oil meeting the latest API CI-4 Plus standard available in a high viscosity grade. **VULCAN 800X SAE 20W-50** offers the excellent performance for fleet operators wanting long engine life in modern long haul diesel trucks operating with low emission engine standards meeting Euro 4 and for extended drain periods. The product is manufactured with mineral base oils and imparted with chemical additives qualifying API CI-4 Plus

## APPLICATIONS

- ◆ Mixed fleets of automotive diesel truck manufacturers
- ◆ Modern low emission high performance automotive diesel engines - Euro 4
- ◆ All vehicle makes used in long distance transport with extended oil drain capabilities
- ◆ Heavy duty Mobile Plant vehicles
- ◆ Diesel generator sets

## PERFORMANCE STANDARDS

**VULCAN 800X SAE 20W-50** has been formulated from additive technology that meets the following International Specifications:

**API** **CI-4 Plus**

***Always follow equipment manufacturer's recommendations for required lubricant performance levels and oil drain intervals.***

## BENEFITS

**VULCAN 800X 20W-50 provides:**

- ◆ Excellent engine cleanliness through advanced soot handling technology
- ◆ Mixed fleet capabilities
- ◆ Exceptional low engine wear
- ◆ Trouble free operation between long drain service intervals
- ◆ Reduced maintenance capabilities

Technical Data	
<b>SAE Grade</b>	<b>20W- 50</b>
Kinematic Viscosity mm <sup>2</sup> /s @ 40°C	173
mm <sup>2</sup> /s @ 100°C	18.9
Viscosity Index	124
Flash Point, COC, °C	242
Pour Point, °C	-30
BN No. ASTM D2896	10.7
Product Code	200074

### HEALTH AND SAFETY, ENVIRONMENT

The information on this product is available in the ENOC Material Safety Data Sheet (MSDS) as a guide to the precautions and safe handling of this product and its disposal. For further information we recommend you review the MSDS. Handled correctly there are no special precautions suggested.

The information prepared provides the typical properties that are considered as representative. Some variation which will not affect performance is possible

Printed by ENOC Marketing LLC, Dubai, U.A.E.  
 Last Updated on: July 2018- MS  
 PDS V101718