

ENOC VULCAN 880X 20W-50

PRODUCT DESCRIPTION

ENOC VULCAN 880X 20W-50 is a technologically advanced heavy-duty diesel engine oil for low emission engines operating on high temperature using low sulphur fuel and fitted with exhaust after treatment devices such as Three-Way Catalyst (TWC), Diesel particulate filters (DPF), Selective Catalyst Reduction (SCR), Diesel Particulate's & Nitrous-oxide Reduction(DPNR), Exhaust Gas Recirculation(EGR).

APPLICATIONS

- Heavy duty Diesel Vehicles fitted with state-of-the art exhaust after treatment system such as particulate filters, EGR and catalytic converters to meet low emission requirements EURO IV & V
- Compatible with other engine oils but recommended not to mix to enhance the life of exhaust after treatment devices.
- Long Drain capability
- Excellent soot dispersancy, piston deposits and oxidation control

PERFORMANCE STANDARDS

VULCAN 880X 20W-50 meets and exceeds the following International specifications:

API CJ4

Always follow equipment manufacturer's recommendations for required lubricant performance level and oil drain intervals.

BENEFITS

VULCAN 880X 20W-50 provides:

- Protects and enhance Exhaust After treatment Devices such as Three-Way Catalyst (TWC), Diesel particulate filters (DPF), Selective Catalyst Reduction (SCR), Diesel Particulate's & Nitrous-oxide Reduction(DPNR), Exhaust Gas Recirculation(EGR) thus suitable for low emission engines
- Increase the catalyst life because of low phosphorous level.
- Superior resistance to oil thickening/sludge formation, outstanding deposit control and improve engine life
- Helps in oil consumption control.
- Excellent protection against wear

Technical Data*	
SAE Grade	20W-50
Density at 15°C, g/ml.	0.8852
Kinematic Viscosity mm ² /s @ 40 °C	170.0
Kinematic Viscosity mm ² /s @ 100 °C	18.8
Viscosity Index	125
TBN mg KOH/g	7.7
Flash Point COC, °C	240
Pour Point, °C	-27
Product Code	200086

*The information prepared provides the typical properties that are considered as representative. Some variation which will not affect performance is possible

HEALTH AND SAFETY, ENVIRONMENT

The information on this product is available in the ENOC Material Safety Data Sheet (MSDS) as a guide to the precautions and safe handling of this product and its disposal. For further information we recommend you review the MSDS. Handled correctly there are no special precautions suggested.