

ENOC VULCAN 888X SAE15W-40

PRODUCT DESCRIPTION

ENOC VULCAN 888X is an advanced heavy duty Synthetic Technology diesel engine oil recommended for modern naturally aspirated and turbocharged four-stroke diesel engine in which the API CK-4 and SAE 15W-40 viscosity grade are recommended. API CK-4 is backward compatible; thus, enabling use in older generation diesel engines. It is also compatible with the low emission diesel engines fitted with Selective Catalytic Reduction (SCR), Diesel Particulate Filter (DPF) and Exhaust Gas Recirculation (EGR) systems

APPLICATIONS

- Heavy duty Diesel Vehicles fitted with exhaust after treatment system such as particulate filters, EGR and catalytic converters to meet low emission requirements EURO V & VI
- Compatible with other engine oils but recommended not to mix to enhance the life of exhaust after treatment devices.
- Suitable for mixed fleet operation.
- Recommend for low sulphur diesel fuel applications.

PERFORMANCE STANDARDS

VULCAN 888X meets and exceeds the following International specifications: API CK-4

Always follow equipment manufacturer's recommendations for required lubricant performance level and oil drain intervals.

BENEFITS

VULCAN 888X provides:

- Superior resistance to oil thickening/sludge formation, outstanding deposit control and improve engine life
- Protects Exhaust After Treatment Devices thus suitable for low emission engines
- Increase the catalyst life because of low phosphorous level.
- Provide optimum oil drain intervals and low oil consumption.
- Excellent protection against wear
- Easy starting, so termed as all weather oil

Technical Data*	
SAE Grade	15W 40
Density kg/m ³	0.8712
Kinematic Viscosity mm ² /s @ 40°C	140
Kinematic Viscosity mm ² /s @100°C	14.35
Viscosity Index	140
TBN mg KOH/g	8
Flash Point COC	236
Pour Point	-33
Product Code	200085

*The information prepared provides the typical properties that are considered as representative. Some variation which will not affect performance is possible

HEALTH AND SAFETY, ENVIRONMENT

The information on this product is available in the ENOC Material Safety Data Sheet (MSDS) as a guide to the precautions and safe handling of this product and its disposal. For further information, we recommend you review the MSDS. Handled correctly there are no special precautions suggested.