

ENOC VULCAN 770X SUPER 20W-50

PRODUCT DESCRIPTION

ENOC VULCAN 770X SUPER 20W-50 is blended with advanced technology additive packs and new generation hydrofinished base oils. A Super High Performance long drain diesel engine oil meeting the latest API CI-4 standard available in a shear stable viscosity grade. This lubricant has been developed as a long life oil meeting Mercedes Benz 228.3 and Volvo VDS-3 long oil drain specifications. **ENOC VULCAN 770X SUPER 20W-50** offers the excellent performance for fleet operators wanting long engine life in modern long haul diesel trucks operating with low emission engine standards meeting Euro 4* and for extended drain periods.

*: Euro 4 diesel engines without DPF & aftertreatment devices. For those engines fitted with aftertreatment devices, ENOC recommends Vulcan Green 10W-40

APPLICATIONS

- ◆ Mixed fleets of automotive diesel truck manufacturers.
- ◆ Modern low emission high performance automotive diesel engines - upto Euro 4*.
- ◆ All vehicle makes used in long distance transport with extended oil drain capabilities.
- ◆ Heavy duty Mobile Plant vehicles
- ◆ Diesel generator sets requiring API CI-4 oils

PERFORMANCE STANDARDS

ENOC VULCAN 770X SUPER 20W-50 exceeds the specifications of:

API CI-4/SL

Always follow equipment manufacturer's recommendations for required lubricant performance levels and oil drain intervals.

BENEFITS

ENOC VULCAN 770X SUPER 20W-50 formulated with hydrofinished baseoils & advanced additives provides:

- ◆ Excellent engine cleanliness through advanced soot handling technology
- ◆ Superior resistance to oil thickening/ sludge formations, outstanding deposit control and improve engine life.
- ◆ Mixed fleet capabilities
- ◆ Exceptional low engine wear
- ◆ Trouble free operation between long drain service intervals
- ◆ Reduced maintenance capabilities

Technical Data	
SAE Grade	20W-50
Kinematic Viscosity mm ² /s @ 40°C	169.5
mm ² /s @ 100°C	18.6
Viscosity Index	123
Flash Point, COC, °C	252
Pour Point, °C	-27
BN No. ASTM D2896	10.5
Product Code	200063

The information prepared provides the typical properties that are considered as representative. Some variation which will not affect performance is possible

HEALTH AND SAFETY, ENVIRONMENT

The information on this product is available in the ENOC Material Safety Data Sheet (MSDS) as a guide to the precautions and safe handling of this product and its disposal. For further information we recommend you review the MSDS. Handled correctly there are no special precautions suggested.